



ROUND SPACER

Hankook Fastener





- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	L	HOLE IN P.C.B	HOLE IN CHASSIS	PACKAGE	
RMM-1	RMM-75	7.5	6.5	4.0	1000
	RMM-100	10.0			
	RMM-150	15.0			

PART NO	L	HOLE IN P.C.B	HOLE IN CHASSIS	PACKAGE	
RSS-1	RSS-60	6.0	5.0	3.5	1000
	RSS-78	7.8			
	RSS-105	10.5			
	RSS-150	15.0			500
	RSS-180	18.0			
	RSS-200	20.0			
	RSS-250	25.0			




PART NO	L	HOLE IN P.C.B	HOLE IN CHASSIS	PACKAGE	
RXL-1	RXL-5	5.0	9.0	6.0	500
	RXL-7	7.5			
	RXL-10	10.0			

PART NO	L	HOLE IN P.C.B	HOLE IN CHASSIS	PACKAGE	
RLL-1	RLL-57	5.7	7.5	4.5	1000
	RLL-75	7.5			
	RLL-100	10.3			
	RLL-150	15.0			500




ONLY FOR RCSL5-10B

PART NO	A	B	C	D	E	F	PACKAGE
RCSL5-10	11.6	7.65	5.4	4.53	8.0	10.0	500
RCSL6-8.5			6.1		6.5	8.5	
RCSL6-8	11.5	8.0		4.0	7.0	8.0	




◆ MATERIAL: ABS (UL) 94HB

PART NO	PACKAGE
LASK-5	1000




◆ MATERIAL: POM (UL) 94 HB

PART NO	PACKAGE
LASK-4	1000





◆ MATERIAL:ABS(UL)
◆ COLOR:NATURAL
◆ UNIT:mm



PART NO	PACKAGE
RCXL-1	1000

PART NO	PACKAGE
RCXL-14	1000



PART NO	A	PACKAGE
3-2	2.0	2000
3-2.5	2.5	
3-3	3.0	
3-3.3	3.3	
3-3.5	3.5	
3-4	4.0	
3-4.5	4.5	
3-5	5.0	
3-5.5	5.5	
3-6	6.0	
3-6.35	6.35	
3-7	7.0	
3-7.5	7.5	
3-8	8.0	
3-9	9.0	
3-9.5	9.5	
3-10	10.0	
★ 3-10.5	10.5	
3-11	11.0	
3-12	12.0	
3-13	13.0	
3-13.6	13.6	
3-14	14.0	
3-15	15.0	
3-15.5	15.5	
3-16	16.0	
3-16.5	16.5	
3-16.8	16.8	
3-17	17.0	
3-17.5	17.5	
3-18	18.0	
3-19	19.0	
3-20	20.0	
3-21	21.0	
3-22	22.0	
3-23	23.0	
3-24	24.0	
3-25	25.0	
3-26	26.0	
3-27	27.0	
3-28	28.0	
3-29	29.0	
3-30	30.0	
		1000

PART NO	A	B	PACKAGE
3.5-2	2.0	3.5	2000
3.5-3	3.0		
★ 3.5-3.5	3.5		
3.5-4	4.0		
3.5-4.5	4.5		
3.5-5	5.0		
3.5-6	6.0		
3.5-7	7.0		
3.5-7.5	7.5		
3.5-8	8.0		
3.5-9	9.0		
3.5-9.5	9.5		
3.5-10	10.0		
3.5-11	11.0		
3.5-12	12.0		
3.5-13	13.0		
3.5-14	14.0		
3.5-15	15.0		
3.5-15.5	15.5		
3.5-16	16.0		
3.5-17	17.0		
3.5-18	18.0		
3.5-19	19.0		
3.5-20	20.0		
3.5-21	21.0		
3.5-22	22.0		
3.5-23	23.0		
3.5-24	24.0		
3.5-25	25.0		
3.5-26	26.0		
3.5-27	27.0		
3.5-28	28.0		
3.5-29	29.0		
3.5-30	30.0		
		3.7	1000

PART NO	A	PACKAGE
4-2	2.0	2000
4-3	3.0	
★ 4-3.5	3.5	
4-4	4.0	
★ 4-4.83	4.83	
4-5	5.0	
4-6	6.0	
4-7	7.0	
4-7.5	7.5	
4-8	8.0	
4-9	9.0	
★ 4-9.5	9.5	
4-10	10.0	
4-11	11.0	
4-12	12.0	
★ 4-12.7	12.7	
4-13	13.0	
4-14	14.0	
4-15	15.0	
4-16	16.0	
4-17	17.0	
4-18	18.0	
4-19	19.0	
4-20	20.0	
4-21	21.0	
4-22	22.0	
4-23	23.0	
4-24	24.0	
4-25	25.0	
4-26	26.0	
4-27	27.0	
4-28	28.0	
4-28.7	28.7	
4-29	29.0	
4-30	30.0	
		1000


ROUND Spacer

Hankook Fastener




PART NO	A	PACKAGE
2-2	2.0	2000
2-3	3.0	
2-4	4.0	
★ 2-4.3	4.3	
2-5	5.0	
2-6	6.0	
2-7	7.0	
2-8	8.0	
2-9	9.0	
2-10	10.0	
2-11	11.0	
2-12	12.0	
2-13	13.0	
2-14	14.0	
2-15	15.0	
2-16	16.0	

- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL
- ◆ UNIT:mm





PART NO	A	PACKAGE
2.6-2	2.0	2000
2.6-3	3.0	
2.6-4	4.0	
2.6-5	5.0	
2.6-6	6.0	
2.6-7	7.0	
2.6-8	8.0	
2.6-9	9.0	
2.6-10	10.0	
2.6-11	11.0	
2.6-12	12.0	
2.6-13	13.0	
2.6-14	14.0	
2.6-15	15.0	
2.6-16	16.0	





PART NO	PACKAGE
5-40	500



PART NO	A	PACKAGE
★ 5-6	6.0	1000
★ 5-8	8.0	
5-16.5	16.5	
5-20	20.0	



PART NO	A	B	C	PACKAGE	
★ 1.2-2.5	2.5	1.2	4.0	1000	
★ 2.5-2.15	2.15	2.5			
★ 2-5.3	5.3	2.2	3.7		
★ 3-5.8	5.85	3.2	5.0		
★ 3.2-3	3.0	3.2	5.8		
★ 4.5-2.75	2.75	4.5	6.0		
★ 5.2-2.3	2.3	5.2	6.8		
★ 5.2-4.1	4.1				
6-16	15.7	6.6	9.1		
8-16		8.1	10.7		
★ 29-16	16.0	29.5	33.5		250



PART NO	PACKAGE
8.5-8	1000



PART NO	PACKAGE
LUS-10	1000